

Safety data sheet

Page: 1/9

Chemetall (now part of BASF Group) Safety data sheet

Date / Revised: 12.12.2018

Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

1. Substance/preparation and manufacturer/supplier identification

METALL GLO

Manufacturer/supplier:

Chemetall (New Zealand) Ltd
664 Rosebank Road Avondale,
Auckland 1026
NEW ZEALAND
Tel: 008 837 464, +64 9 820 3888
Fax: +64 9 820 3979
Email: nzadmin@basf.com

Emergency information:

Telephone: +64 9 820 3888

SECTION 2. HAZARDS IDENTIFICATION


GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Chemetall (now part of BASF Group) Safety data sheet
 Date / Revised: 12.12.2018
 Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

Hazard statements : H315 Causes skin irritation.
 H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
 P262 Do not get in eyes, on skin, or on clothing.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/
 face protection.
Response:
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for
 several minutes. Remove contact lenses, if present and easy to
 do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor/ physician.
 P332 + P313 If skin irritation occurs: Get medical advice/
 attention.
 P362 Take off contaminated clothing and wash before reuse.

Other hazards which do not result in classification

The information required is contained in this Material Safety Data Sheet.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Tetrafluoroboric acid	16872-11-0	< 10
Propylheptanoethoxilate	160875-66-1	< 10

SECTION 4. FIRST AID MEASURES

General advice : First aider needs to protect himself.
 Move out of dangerous area.
 Take off contaminated clothing and shoes immediately.

Inhalation : Move to fresh air.
 If symptoms persist, call a physician.

Skin contact : Wash off with soap and plenty of water.
 If symptoms persist, call a physician.

Eye contact : In case of eye contact, remove contact lens and rinse
 immediately with plenty of water, also under the eyelids, for at
 least 15 minutes.
 Call a physician immediately.

Ingestion : Rinse mouth with water.
 Do NOT induce vomiting.

Chemetall (now part of BASF Group) Safety data sheet

Date / Revised: 12.12.2018

Version: 1.0

Product: **METALL GLO**

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

Consult a physician.

Most important symptoms and effects, both acute and delayed : No information available.

Notes to physician : Treat symptomatically.
For specialist advice physicians should contact the Poisons Information Service.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO₂)
Dry powder
Alcohol-resistant foam
Water spray

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Heating or fire can release toxic gas.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.
For further information see Section 8 of the safety data sheet.
For disposal considerations see section 13.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Methods and materials for containment and cleaning up : Ensure adequate ventilation.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges.

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
Ensure that eye flushing systems and safety showers are located close to the working place.
To avoid risks to man and the environment, comply with the

Chemetall (now part of BASF Group) Safety data sheet
 Date / Revised: 12.12.2018
 Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

instructions for use.

- Hygiene measures** : Take off contaminated clothing and shoes immediately.
 Keep away from food, drink and animal feedingstuffs.
 Wash hands before breaks and immediately after handling the product.
 Avoid contact with skin and eyes.
 Do not breathe vapour.
 Do not breathe spray.
- Conditions for safe storage** : Keep containers tightly closed in a cool, well-ventilated place.
 Store in original container.
 Store in a place accessible by authorized persons only.
 To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Filter type : Organic vapour type

Hand protection

Remarks : Neoprene gloves butyl-rubber Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Eye protection (EN 166)
 Tightly fitting safety goggles

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : clear liquid
- Colour** : colourless
- Odour** : not determined

Chemetall (now part of BASF Group) Safety data sheet
Date / Revised: 12.12.2018
Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

pH	:	ca. 1
Boiling point/boiling range	:	100 °C
Flash point	:	> 99 °C Not applicable
Vapour pressure	:	No data available
Density	:	1.09 g/cm ³
Solubility(ies) Water solubility	:	soluble
Flow time	:	< 30 sec. Cross section: 3 mm
Explosive properties	:	no explosion risk

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product : No data available

Components:

Tetrafluoroboric acid:

Acute oral toxicity : LD50 (Rat): 464 mg/kg

Propylheptanoethoxilate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Product : No data available

Chemetall (now part of BASF Group) Safety data sheet
Date / Revised: 12.12.2018
Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

Serious eye damage/eye irritation

Product : No data available

Respiratory or skin sensitisation

Product : No data available

Chronic toxicity**Germ cell mutagenicity**

Product : No data available

Carcinogenicity

Product : No data available

Reproductive toxicity

Product : No data available

STOT - single exposure

Product : No data available

STOT - repeated exposure

Product : No data available

Aspiration toxicity

Product : No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Tetrafluoroboric acid:**Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2.6 mg/l
Exposure time: 96 h**Propylheptanoethoxilate:**Toxicity to fish : LC50 (Fish): 10 - 100 mg/l
Exposure time: 96 hToxicity to daphnia and other : EC50 (Daphnia (water flea)): 10 - 100 mg/l
aquatic invertebrates Exposure time: 48 hToxicity to algae : EC50: 10 - 100 mg/l
Exposure time: 72 h

Chemetall (now part of BASF Group) Safety data sheet
Date / Revised: 12.12.2018
Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

Persistence and degradability**Product:**

Biodegradability : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of contents/ container to an approved waste disposal plant.

Packaging : Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 1760
Proper shipping name : Corrosive liquid, n.o.s.
Class : 8
Packing group : III
Labels : Corrosives
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
Class : 8
Packing group : III
Labels : 8

Chemetall (now part of BASF Group) Safety data sheet
 Date / Revised: 12.12.2018
 Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

EmS Code : F-A, S-B
 Marine pollutant : no
 Remarks : Clear of living quarters.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 1760
 Proper shipping name : CORROSIVE LIQUID, N.O.S.
 Class : 8
 Packing group : III
 Labels : 8
 Hazchem Code : 2X

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with EC directives or respective national laws. Regional or national implementations of GHS may not implement all hazard classes and categories.

ACETIC ACID, GLACIAL

Standard for the Uniform : Schedule 5

Scheduling of Medicines and
 Poisons

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for

Chemetall (now part of BASF Group) Safety data sheet
Date / Revised: 12.12.2018
Product: **METALL GLO**

Version: 1.0

(30723223/SDU_GEN_NZ/EN)

Date of print 15.01.2019

Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information

Other information :
Date format : dd.mm.yyyy

AU / EN

Vertical lines in the left hand margin indicate an amendment from the previous version.

The content of this Safety Data Sheet (SDS) is based on an existing document from an acquired company with adaptations to Section I. The data is currently under validation.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

